DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D412-761 REV. D OR EARLIER AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D412-761 REV. 1 OR EARLIER

REF. TCCA STC: SH09-4 REF. EASA STC: 10028917

PURPOSE

THE PURPOSE OF THIS SERVICE INSTRUCTION IS TO INTRODUCE THE ALTERNATE D412-761-051 ARMREST KIT FOR D412-761-041 FULL VERTICAL REFERENCE DOOR KIT. IN COMPARISON WITH THE STANDARD D412-761-049 ARMREST KIT, THE ALTERNATE D412-761-051 ARMREST KIT FEATURES AN ELONGATED AND NARROWER ARMREST CUSHION.

REFER TO SHEET 2 FOR THE ALTERNATE D412-761-051 ARMREST KIT PARTS LIST.

INSTALLATION

THE INSTALLATION OF D412-761-051 ARMREST KIT IS SAME AS D412-761-049 ARMREST KIT. PERFORM INSTALLATION PER IIN-D412-761 AND INSTALLATION DRAWING D412-761-3 BY SUBSTITUTING D3780-041 ARMREST ASSEMBLY WITH D4097-041 ARMREST ASSEMBLY.

KIT CONVERSION

CUSTOMERS WHO ALREADY HAVE THE D412-761-049 ARMREST KIT INSTALLED AND WOULD PREFER THE NEW D412-761-051 ARMREST INSTALLATION MAY SUBSTITUTE THEIR EXISTING D3780-041 ARMREST ASSEMBLY WITH D4097-041 ARMREST ASSEMBLY. SIMILARLY, CUSTOMERS WHO HAVE INSTALLED THE NEW D412-761-051 ARMREST KIT AND WOULD LIKE TO CONVERT THEIR EXISTING KIT INTO A D412-761-049 MAY DO SO BY SUBSTITUTING THE D4097-041 ARMREST ASSEMBLY WITH THE D3780-041 ARMREST ASSEMBLY. REFER TO SECTION 52.5 OF ICA-D412-761, SECTION 3.3 OF IIN-D412-761 AND DRAWING D412-761-3. ADJUST WEIGHT AND BALANCE PER THE TABLE BELOW.

WEIGHT AND BALANCE

		LATERAL		LONGITUDINAL	
Installation	Weight	Arm	Moment	Am	Moment
D412-761-041 Full Vertical Reference Door Kit (includes -045/-047/-049 Kits)	27.9 lb	-46.5 in	-1297 lb-in	47.9 in	1336 lb-in
	12.6 kg	-1.18 m	-14.9 kg-m	1.22 m	15.4 kg-m
D412-761-041A Full Vertical Reference Door Kit (includes -045/-047/-051 Kits)	26.9 lb	-46.5 in	-1251 lb-in	47.9 in	1289 lb-in
	12.2 kg	-1.18 m	-14.4 kg-m	1.22 m	14.9 kg-m
D412-761-045 Bubble Window/Modified Latch Mechanism Kits	16.0 lb	-47.8 in	-764.8 lb-in	47.0 in	752.0 lb-in
	7.26 kg	-1.21 m	-8.78 kg-m	1.19 m	8.64 kg-m
D412-761-047 Door Mounted Instrument Panel Kit (Excludes Instruments)	3.8 lb	-42.8 in	-160.5 lb-in	39.2 in	147.0 lb-in
	1.70 kg	-1.09 m	-1.85 kg-m	1.00 m	1.70 kg-m
D412-761-049	7.3 lb	-37.1 in	-270.8 lb-in	61.4 in	448.2 lb-in
Armrest Kit	3.31 kg	-0.94 m	-3.11 kg-m	1.56 m	5.16 kg-m
D412-761-051	6.3 lb	-37.1 in	-233.7 lb-in	61.4 in	386.8 lb-in
Alternate Armrest Kit	2.86 kg	-0.94 m	-2.69 kg-m	1.56 m	4.46 kg-m

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY:
D. SHEPHERD (DE # 02)

DATE:
10.05.10
CERT. NO.:
SH09-4
ISSUE NO.:
2

Α	NEW IS:	NEW ISSUE			10.05.10	
REV.			DESCRIPTION	DATE		
DESIGN		-B1	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWN		4				
CHECKE	ΞD	P	DRAWING NO.		REV. A	
MFG. AF	PR.	N/A	DSI 9520	S	SHEET 1 OF 3	
APPRO\	/ED	149	TITLE		SCALE	
DE APPI	R.	#	ALTERNATE ARMREST INS	STALĹ	NTS	
DATE 10.05.10			COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONTIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY DURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT			

PARTS LIST

QTY		
-051	PART NUMBER	DESCRIPTION
Х	D412-761-051	ARMREST KIT, LH
1	D3694-041	MOUNTING PLATE ASSEMBLY
1	D3694-1	* KEYWAY
11	D3694-3	* PROTECTIVE PLATE
1	D3694-5	* MOUNTING PLATE
1	AN526C1032R8	* SCREW
5	AN960JD10	* WASHER
4	MS21042L3	* NUT
2	MS21209F1-20	* HELI-COIL, SCREW LOCKING (RED)
1	MS24693-C271	* SCREW (OR MS24693-S271)
4	MS24693-C273	* SCREW (OR MS24693-S273)
1	D3695-041	SLIDER ASSEMBLY
1	D3695-1	* SLIDER
1	D3695-3	* STOPPER
1	D3801-1	* HAND RETRACTABLE SPRING PLUNGER
1	MS21209F6-25	* HELI-COIL, SCREW LOCKING (RED)
4	MS21209F1-20	* HELI-COIL, SCREW LOCKING (RED)
4	MS24693-C276	* SCREW (OR MS24693-S276)
1	D4097-041	ARMRESTASSEMBLY
11	D3696-041	* ARM ASSEMBLY
1	D3696-1	** ARM
1	D3801-3	** HAND RETRACTABLE SPRING PLUNGER
1	D4098-041	* CUSHION ASSEMBLY
1	D4099-1	* BRACKET
3	MS21042L3	* NUT
5	MS24693-C273	* SCREW
3	MS24693-C277	* SCREW
3	NAS1149D0332J	* WASHER
11	AN3-6A	BOLT
1	AN6-26	BOLT
1	AN310-6	CASTELLATED NUT
11	AN960JD10	WASHER
1	AN960JD616L	WASHER
2	NAS1515H6L	WASHER
1	MS24665-302	COTTER PIN
3	MS21071L3	ANCHORNUT
8	MS21075L3	NUTPLATE
Ø	INIOZ IU/OLO	INUIFLAIE

* DENOTES PART IS INCLUDED WITH ASSEMBLY ABOVE ** DENOTES PART IS INCLUDED WITH ASSEMBLY ABOVE

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

BY: D. SHEPHERD (DE # 02)

DATE: 10.05.10
CERT. NO.: SH09-4
ISSUE NO.: 2

			_	
DESIGN	-81	DART AEROSPACE LTD		
DRAWN	4	HAWKESBURY, ONTARIO, CANADA		
CHECKED	P	DRAWING NO.	REV. A	
MFG. APPR.	N/A	DSI 9520	SHEET 2 OF 3	
APPROVED	149	TITLE	SCALE	
DE APPR.	-#	ALTERNATE ARMREST INSTALL	_ NTS	
DATE 10.0	5.10	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY DIRPOSE OR COPIED ON COMMUNICATED TO ANY OTHER PERSON WITHOUT		




FIGURE 1: D412-761-051 ARMREST INSTALL OVERVIEW

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-0-01

BY: D. SHEPHERD (DE # 02)

DATE: 10.05.10
CERT. NO.: SH09-4
ISSUE NO.: 2

DESIGN	41	DART AEROSPACE	I TD	
DRAWN	4	HAWKESBURY, ONTARIO, CANADA		
CHECKED	P	DRAWING NO.	REV. A	
MFG. APPR.	N/A	DSI 9520	SHEET 3 OF 3	
APPROVED	160	TITLE	SCALE	
DE APPR.	#	ALTERNATE ARMREST INSTALL	. NTS	
DATE 10.05.10 COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THA NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITH WRITTEN PERMISSION FROM DART AEROSPACE LTD.			RESS CONDITION THAT IT IS OTHER PERSON WITHOUT	